

## CERTIFICATE

FOR FIBRE ROPE - TOTAL LENGTH

Certificate No: N142M4DG

Inis is to certify	
that the product:	FIBRE ROPE
Type designation:	DANSTRONG
Application/context:	Mooring
Serial/tag no:	see page 2 & 3
Has been found to comply with relevant requirement ISO 2307: 2019 DNV-RU-SHIP :Rules for classification: Ships (2)	
The product is intended for	
Yard:	-
Yard No:	-
Name of vessel:	STOCK
DNV ld No:	-
The product / material has been marked: I.D. No at the end of the coil	and N142M4DG on: tag with I.D. No. and N142M4DG is tied up
Particulars of Vendor and Purchaser	
Vendor:	Axiom Cordages Limited
Vendor reference:	A/77
Purchaser:	EUROSUL FORNECEDORA DE NAVIOS LTDA
Purchaser reference:	200623
Issued at India CMC MES on 2023-08-01	



for **DNV** 

This document has been digitally signed and will therefore not have handwritten signatures

Saripaka, Ravikanth Surveyor

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any



Form code: CMC 201

Revision: 2022-12

www.dnv.com

Page 1 of 4







**Linked Type Approvals:** TAK00001WC, Synthetic Fibre Ropes

## Surveyor Supplementary information: Mooring rope/Coil Details for PO No. 200623

Bag No./ Sr. No.	Product Type	Strand	Size* (mm)	Length* (mtrs)	Colour (ML/TY)	I.D. No.
51	DANSTRONG	8-strand	48	220	White/ 2 Red	23DS4742
52	DANSTRONG	8-strand	48	220	White/ 2 Red	23DS4743
53	DANSTRONG	8-strand	48	220	White/ 2 Red	23DS4744
54	DANSTRONG	8-strand	48	220	White/ 2 Red	23DS4745
55	DANSTRONG	8-strand	48	220	White/ 2 Red	23DS4746
56	DANSTRONG	8-strand	48	220	White/ 2 Red	23DS4747
57	DANSTRONG	8-strand	48	220	White/ 2 Red	23DS4748
58	DANSTRONG	8-strand	48	220	White/ 2 Red	23DS4749
59	DANSTRONG	8-strand	52	220	White/ 2 Red	23DS4750
60	DANSTRONG	8-strand	52	220	White/ 2 Red	23DS4751
61	DANSTRONG	8-strand	56	220	White/ 2 Red	23DS4752
62	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4753
33	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4754
64	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4755
35	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4756
36	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4757
67	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4758
88	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4759
89	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4760
70	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4761
'1	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4762
'2	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4763
'3	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4764
'4	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4765
5	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4766
6	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4767
7	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4768
8	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4769
9	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4770
0	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4771
1	DANSTRONG	8-strand	64	220	White/ 2 Red	23DS4772
2	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4773
3	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4774
4	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4775

Form code: CMC 201

Revision: 2022-12

www.dnv.com





Bag No./ Sr. No.	Product Type	Strand	Size* (mm)	Length* (mtrs)	Colour (ML/TY)	I.D. No.
85	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4776
86	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4777
87	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4778
88	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4779
89	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4780
90	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4781
91	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4782
92	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4783
93	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4784
94	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4785
95	DANSTRONG	8-strand	72	220	White/ 2 Red	23DS4786
96	DANSTRONG	12-strand	80	220	White/ 2 Red	23DS4787
97	DANSTRONG	12-strand	80	220	White/ 2 Red	23DS4788
98	DANSTRONG	12-strand	80	220	White/ 2 Red	23DS4789
99	DANSTRONG	12-strand	80	220	White/ 2 Red	23DS4790

Test Reports for PO No. 200623

Sample Bag No.	I.D. No.	Size* (mm)	No. of Samples	Required MBL (kgf)	Actual MBL (kgf)	Method of Testing	Inspection date
55	23DS4746	48	01	39500	40739	Actual Break	17-07-2023
59	23DS4750	52	01	45750	49977	YARN METHOD	17-07-2023
61	23DS4752	56	01	52000	56113	YARN METHOD	17-07-2023
70,80	23DS4761, 23DS4771	64	02	67550	70892, 71225	YARN METHOD	17-07-2023
90	23DS4781	72	01	84500	89135	YARN METHOD	17-07-2023
98	23DS4789	80	01	104000	11118854 1	YARN METHOD	17-07-2023



N142M4DG



## Notes:-

- 1. Actual break load is witnessed by DNV as per the requirement of ISO 2307:2019.
- The manufacturer states that the rope specification no. BS EN ISO 10572:2009 and ISO 1346:2021 for DANSTRONG ropes are followed during manufacturing.
- 3. DANSTRONG is found to comply with MEG4 and OCIMF 2000 test requirement.
- 4. Marking / Identification:
  - a. Packed in beige color woven fabric.
  - b. Label on woven fabric has the following information:

Manufacturer name/product type/ size/ length/ bale no./ ID no./ certificate no.

- A tag with I.D. No. and Cert. no. is tied up at the end of the coil and the certificate number is marked on the end of the coil.
- Material Description: DANSTRONG is 8 & 12 strand PP rope with 1.83 meters canvas covered eye splice at both ends.

Remark:- I. \* -- Verified by manufacturer

II. ML= mooring line, TY= tracer yarn

Form code: CMC 201

Revision: 2022-12

www.dnv.com

Page 4 of 4