PRODUCT CATALOG

TEST & INSPECTION EQUIPMENT FOR THE FIRE ALARM AND LIFE SAFETY INDUSTRIES



G smokecenturion™

FOR OVER 20 YEARS...

SDi has cultivated a reputation as the world's leading provider of specialized equipment for the fire protection and security industries.

Our partnerships with detector manufacturers and affiliations with industry associations provide critical insight into the fire detection market and ensure our products are compatible, code compliant, and meet all industry standards.

We are dedicated to introducing exceptional products and innovative solutions to the fire and security industries, providing quality today and advancing technology for tomorrow.



SDi Product Catalog

CONTENTS

AEROSOLS
Solo A10 Aerosol Smoke4
Solo C6 CO Aerosol4
A7 Air Detector Duster4
Blowout Detector Duster4
SmokeSabre5
Smoke Centurion5
SOLO DETECTOR TESTERS
Solo 330 Dispenser6
Solo 332 Dispenser6
Solo 460 Cordless Heat Tester7
Solo 461 Heat Detector Test Kit7
Solo 200 Removal Tool8
SOLO ACCESS POLES
Solo 101 4' Extension Pole9
Solo 108 8' Access Pole9
Solo 100 15' Access Pole9
SOLO 365
Solo 365 Test Kit10, 11
Solo 365 Smoke Cartridges I I
Solo 365 ASD AdapterI I
TESTIFIRE
Testifire 100113
Testifire 200113
Testifire CO Capsules13
Testifire Smoke Capsules13
Testifire Kits14

TRUTEST SENSITIVITY TESTING
Trutest Unit15
Smoke 400 Aerosol 15
SOLO TEST KITS
Solo Smoke Starter Kits16
Solo Smoke, Heat & CO Kits16
Solo & Trutest Kits17
Smart 365 Kit18
SPEECH INTELLIGIBILITY TESTING
SM50 Speech Intelligibility Meter19
BTB65 Talkbox
ALARM COMPONENT TESTERS
Cell Checker20
Power Checker20
Duct Checker20
dB Checker21
AV Checker21
SPARE & MISCELLANEOUS PARTS
Solo Accessories23
Solo 610 Equipment Bag23
Solo 726 Charger23
Solo 743 PDA Holder23
Solo 760 Battery Baton23
Testifire Accessories23
Testifire Remote Control23
Trutest Pole Clamp23

AEROSOLS





SOLO A10 AEROSOL SMOKE









Non-flammable aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. Sold in cases of 12.







SOLO C6 AEROSOL CO









Non-flammable aerosol CO for the functional testing of CO detectors. For use by hand or with a dispenser (Solo 330/332). Sold in cases of 12.

A7 AIR DETECTOR **DUSTER**







Non-flammable hand-held canned air solution. A7 Air is silicone-free and conforms to new global aerosol regulations. A7 Air 10oz cans are sold in cases of 12.




BLOWOUT DETECTOR DUSTER













SDi



SMOKESABRE














Hand-held aerosol smoke for the functional testing of smoke detectors. Silicone-free. No CFC's. Sold in cases of 12.











SMOKE CENTURION











Aerosol smoke for the functional testing of smoke detectors. For use by hand or with a dispenser (Solo 330/332). Silicone-free. No CFC's and low GWP Propellant. Sold in cases of 12.



AEROSOL DISPENSERS



SOLO 330 AEROSOL DISPENSER









Solo 330 is universal, lightweight and simple to use. Its swing frame allows for use at any angle.

Use with Solo AIO or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. Lifetime limited warranty.



SOLO 332 AEROSOL DISPENSER






Solo 332 is a universal, lightweight and simple to use dispenser with a swing frame for use at any angle.

Use with Solo AIO or Smoke Centurion (M8) smoke detector test aerosol or Solo C6 for functional testing of CO detectors. Lifetime limited warranty.









HEAT DETECTOR TESTING



Tests Up To 194°F

SOLO 460 CORDLESS HEAT TESTER









The industry's leading standalone heat detector tester. The battery-powered Solo 460 is lightweight and easy to use.

Suitable for fixed temperature, rate-of-rise, and combination detectors up to 194°F/90°C.

Contact us for Solo 423/424 Corded Heat Detector Tester.



SOLO 461 HEAT DETECTOR TEST KIT










Includes:

Ix Solo 460 Cordless Heat Head Unit 2x Solo 760* Battery Batons

1x Solo 726* Charger

*Kit pictured with Solo 770 battery and 727 charger. Coming soon to SDi









SOLO 200 UNIVERSAL DETECTOR REMOVAL TOOL

SOLO200

The Solo 200's universal design can accommodate the installation and removal of the widest range of detectors.

Color-coded heads rotate to provide a combination of sizes and settings to suit detectors of varying sizes and shapes. For use with Solo Access Poles. *Lifetime limited warranty.*

SOLO ACCESS POLES



SOLO 100 15' TELESCOPIC **ACCESS POLE**





Pole extends from 4.8ft to 14.9ft. Add up to three extension poles to test up to 29.5ft. Minimum possible whip or bend at height.

Certified non-conductive, protecting both the engineer and overhead live equipment from inadvertent shorts. Compatible with all Solo. Testifire, and Trutest head units. Lifetime limited warranty.



SOLO 108 8' TELESCOPIC ACCESS POLE





The lightweight, easy to use Solo 108 Access Pole adds 7.2ft to your testing height capability.

Minimum possible whip or bend at height. Certified non-conductive. Compatible with all Solo, Testifire, and Trutest head units. Lifetime limited warranty.



SOLO 101 4' EXTENSION POLE





The lightweight, easy to use Solo 101 Extension Pole adds 3.9ft to your testing height capability. Can be used on its own or add up to three extension poles to extend the Solo 100 or Solo 108.

Minimum possible whip or bend at height. Certified non-conductive. Lifetime limited warranty.







SOLO 365 ELECTRONIC SMOKE DETECTOR TESTER









Solo 365, the latest innovation in Solo's detector tester line, uses non-hazardous, non-pressurized, environmentallyfriendly cartridge technology for smoke generation.

Solo 365 allows for faster testing and creates less smoke waste with an auto-start proximity sensor that automatically generates smoke when the detector enters the cup. Its unique clearing mode all but eliminates repeat alarms by clearing remaining smoke.



SOLO 365 SMOKE DETECTOR TESTER













1x Solo 365 Smoke Detector Tester

Ix Solo EST Smoke Cartridge

1x Solo 371 Smoke Generator

1x 370 Lithium Ion Battery Pack

Ix USB Universal Charger







Solo 372 transforms your 365 into an ASD detector tester. Easily fitted to allow for the functional testing of ASD systems.

CONSUMABLES	
Solo 365 Smoke Cartridges (6-Pack)	SOLOES6
Solo 365 Battery Pack	SOLO370
Solo 365 Smoke Generator	SOLO371

Testifire is the world's leading multicriteria detector tester. The all-in-one Testifire allows for faster and more efficient testing of both single and multi-sensor detectors.

Choose Testifire 1001 for testing heat and smoke or Testifire 2001 to test heat, smoke, and CO.

Testifire can deliver each stimulus individually or all three stimuli simultaneously, increasing productivity and lowering the overall testing time by up to 66%. A built-in clearing cycle provides rapid detector reset with no repeat alarms.



MULTICRITERIA DETECTOR TESTERS



CONSUMABLES

Testifire Smoke Capsules (3-Pack) TS3



TESTIFIRE SMOKE, HEAT AND CO TEST KIT













Includes:

1x Testifire 2000 Head Unit

Ix TS1 Smoke Capsule

Ix TC1 CO Capsule

1x Solo 726* Battery Charger

2x Solo 760* Battery Batons



CONSUMABLES

Testifire Smoke Capsules (3-Pack)	TS3	
Testifire CO Capsules (3-Pack)	TC3	

MULTICRITERIA TEST & INSPECTION KITS

SMOKE & HEAT DETECTOR TESTING KIT

TF1851 (// 🎉







30ft

Reach

Includes:

Testifire 1001* Smoke & Heat Kit 1x Solo 100 15' Access Pole 1x Solo 101 4' Extension Pole Lx Solo 200 Removal Tool 1x Solo 610 Carrying Bag



SMOKE. HEAT & CO DETECTOR TESTING KIT











Includes:

Testifire 2001* Smoke, Heat & CO Kit 1x Solo 100 15' Access Pole Lx Solo 101 4' Extension Pole Lx Solo 200 Removal Tool 1x Solo 610 Carrying Bag



SMOKE & HEAT DETECTOR TESTING KIT







Includes:

Testifire 1001* Smoke & Heat Kit 1x Solo 100 15' Access Pole 3x Solo 101 4' Extension Poles Lx Solo 200 Removal Tool 1x Solo 610 Carrying Bag



SMOKE. HEAT & CO DETECTOR TESTING KIT







30ft Reach

Includes:

Testifire 2001* Smoke, Heat & CO Kit 1x Solo 100 15' Access Pole 3x Solo 101 4' Extension Poles Lx Solo 200 Removal Tool 1x Solo 610 Carrying Bag



*Kits are pictured with Solo 770 battery and 727 charger. Coming soon to SDi

DETECTOR SENSITIVITY TESTING





TRUTEST SMOKE DETECTOR **SENSITIVITY TESTER**







Over time, smoke detector sensitivity can drift, becoming more or less sensitive. This fluctuation in sensitivity can cause the alarm to function ineffectively. Using detector testers to check the sensitivity of fire alarms is not only required by law but also provides greater control over the sensitivity of the fire alarms you're inspecting.

Trutest combines functional and sensitivity testing in one convenient package. With only one test, Trutest reads the precise detector sensitivity, indicating whether the detector needs to be recalibrated or replaced.



TRUTEST SMOKE DETECTOR SENSITIVITY TEST KIT







Includes:

1x Trutest 801 Smoke Detector Sensitivity Tester 12x Trutest Smoke 400 Detector Test Aerosol Canisters Ix Storage Case and Pole Bag

1x Solo 100 15' Telescopic Access Pole





SMOKE 400 AEROSOL SMOKE DETECTOR TESTER







Smoke 400 is a non-flammable aerosol that is used with the Trutest 801 to test the detector sensitivity of ionization or photoelectric smoke detectors. Sold with Trutest in the 800 Kit or available separately in cases of 12.



SMOKE STARTER KIT

I Oft Reach

SOLO810



Includes:

1x Solo 101 4' Extension Pole 1x Solo 330 Dispenser 12x Smoke Centurion Aerosols Ix Solo 604 Carrying Bag



12ft

Reach

SMOKE STARTER KIT



Includes:

Lx Solo 108 8' Access Pole 1x Solo 330 Dispenser 12x Smoke Centurion Aerosols Ix Solo 604 Carrying Bag



SMOKE STARTER KIT





Includes:

1x Solo 100 15' Access Pole 1x Solo 330 Dispenser 12x Smoke Centurion Aerosols 1x Solo 604 Carrying Bag

20ft Reach



SMOKE, HEAT & CO TECHNICIAN KIT







Includes:

1x Solo 100 15' Access Pole

1x Solo 101 4' Extension Pole

Lx Solo 200 Universal Removal Tool

Ix Solo 330 Dispenser

1x Solo 460 Heat Detector Tester

1x Solo 726* Battery Charger

2x Solo 760* Battery Batons

1x Solo 610 Carrying Bag



SMOKE, HEAT & CO ENHANCED TECHNICIAN KIT













24ft

Reach

Includes:

1x Solo 100 15' Access Pole

3x Solo 101 4' Extension Pole

Lx Solo 200 Universal Removal Tool

1x Solo 330 Dispenser

1x Solo 460 Heat Detector Tester

1x Solo 726* Battery Charger

2x Solo 760* Battery Batons

1x Solo 610 Carrying Bag



SOLO & TRUTEST KIT











1x Solo 823* Enhanced Technician Kit 1x Trutest 801 Detector Sensitivity Tester 12x Smoke 400 Aerosol

12x Solo A10 Smoke Detector Tester

12x A7 Air Detector Duster

Ix Cell Checker



ENHANCED SOLO & TRUTEST KIT












Includes:

Ix STI* Solo and Trutest Kit Ix Duct Checker Ix dB Checker 12x Smoke Centurion

*Kits are pictured with Solo 770 battery and 727 charger. Coming soon to SDi







ELECTRONIC DETECTOR TEST KITS

COMPACT SMOKE TESTING KIT

SMART365



Includes:

Ix Smart Kit Backpack (with pole bag attachment)

1x Solo 365 Electronic Smoke Detector Tester

Ix Solo IIO Smart 5.75' Telescopic Pole 3x Solo 111 Smart 1.65' Extension Poles



ELECTRONIC SMOKE TESTING KIT

SOLO900



Includes:

1x Solo 100 15' Access Pole

3x Solo 101 4' Extension Poles

1x Solo 200 Removal Tool

Lx Solo 365 Flectronic Smoke Detector Tester

1x Solo 610 Carrying Bag



30ft

Reach

SPEECH INTELLIGIBILITY TESTING



SPEECH INTELLIGIBILITY TESTER

SM50

Bedrock SM50 is a universal, easy to use speech intelligibility tester for fire safety systems. The SM50 is designed for ease-of-use, with a simple, user-friendly touch screen for precise and basic control. The unit is also equipped with a USB port to provide fast and versatile connectivity to your network. Includes a hard case.



TALKBOX

BTB65

Along with the SM50, we also offer the BTB65 Talkbox. The Talkbox is a calibrated acoustic signal source for taking STIPA measurements and more. It can play test signals through its built-in loudspeaker, or you can use the line-out feature to play the test signals through other devices. Includes a hard case.



STI and spectrum in main means

Ilii..



INTELLIGIBILITY MEASUREMENT KIT

SMBTBKT

All the necessary tools for speech intelligibility measurements using STIPA or Full STI.

Includes:

1x SM50 STIPA Meter

1x BTB65 Talkbox

Ix Custom Hard Case





CUSTOM HARD CASE

SMBTBCS

Custom hard case fits SM50 STIPA Meter and Talkbox along with all their components, including chargers, microphone, wind screen, calibration certificates and more.

Included with the purchase of SMBTBKT, or available for purchase separately.



www.sdifire.com

ALARM COMPONENT TESTERS



POWER CHECKER





Power Checker uses a patented, high accuracy pulse load test to provide a comprehensive means of testing the state of charge or state of power for more than 30 primary (non-rechargeable) and rechargeable battery types, including NiMH, Li-Ion, alkaline, lithium, coin cell, button type and more. This microprocessor-controlled unit is designed for commercial or home use.



checkerTM ALARM COMPONENT TESTERS

DUCT CHECKER

DUCT01

Duct Checker is ideal for annual testing to ensure that the duct detector will sample the differential pressure via the sampling tubes, as required by NFPA 72. Duct Checker is manufacturer approved, easy to use, and ensures accurate results.





CELL CHECKER





Cell Checker utilizes pulse load technology to provide a comprehensive test of a battery's state of charge and condition. Rather than simply displaying a voltage reading, Cell Checker determines a battery's remaining power capacity by measuring its ability to maintain voltage levels while under load.

Use Cell Checker to test the performance of 2- to 12- volt batteries up to 200AH. Cell Checker also tests SLA batteries.

CELL CHECKER ACCESSORIES



Padded Case	CELL01CS
48" Plier-Type Lead	CELL01LD

48" Clip-Type Lead CELL01RL

Cell Checker Accessory Kit (Case & Strap) CELLPAC

DB CHECKER SOUND LEVEL METERS

The ideal tool for measuring the sound pressure levels for audible alarm notification appliances as mandated by the National Fire Alarm & Signaling Code. Two models are available to support either A frequency weighting (dB01).



DB CHECKER 01/02

DB01/DB02

Specifications:

- Meets IEC651 Type 2 and ANSI S1.4 Type 2 Standards
- Conforms to NFPA 72
- dB01 Measurement Range: 32 to 130 dB at frequencies of 31.5 Hz to 8 KHz
- dB02 Measurement Range: 40 to 130 dB at frequencies of 100Hz to 8.3KHz
- Easy to use
- A or C frequency weighting (dB01)
- A frequency weighting (dB02)



AV CHECKER

AV Checker is the ideal device for annual testing to ensure that the duct detector will sample the air velocity as required by NFPA 72, and according to manufacturer's instructions.



AV CHECKER

AV02

Specifications:

- Ensures duct detector will sample the air velocity correctly
- Easy to use
- Includes custom hard case
- Digital thermometer function
- Conforms to NFPA 72
- Meets CAN/ULC \$536-04,5.7.4.4.1



SERVICE

In addition to providing the best fire and life safety equipment in the industry, SDi also services, maintains and provides support for all our products. With more than 20 years of combined experience, our service staff has the knowledge and skills necessary to keep your equipment performing at its best with minimal downtime. SDi's trained technicians are also available to provide convenient telephone support as well as online training.

SDi's Service Department honors all warranty work, performs routine equipment maintenance and calibration, and can correct problems that may arise with your testing equipment in an efficient, precise, and timely manner.

Our services include:

- Preventative maintenance to extend the life of your equipment and reduce costly repairs
- Routine maintenance to keep your equipment operating at peak efficiency
- Repair and calibration services for:
 - Trutest
 - Cell Checker
 - dB Checker
 - SM50 & BTB65 Talkbox

For service inquiries, please call (732) 751-9266 or email the service team at service@sdifire.com.



SPARE & MISCELLANEOUS PARTS

Solo 365 Universal Charger/USB Cable

MISCELLANEOUS		SOLO 461	
PDA Holder	SOLO743	Battery Baton	SOLO760
		Charger	SOLO726
SOLO 200		Silicone Membrane	SPARE100
Solo 200 Transparent Grips	SPARE1002	Heat Baffle	BAFFLE
SOLO 330/332		TESTIFIRE	
Replacement Red Cup (Solo 330 Only)	SPARE1028	Testifire Inner Cup	SPARE104
Silicone Membrane	SPARE1005	Testifire Membrane Bellows	SPARE104
		Testifire Remote Control	TF25
SOLO 365		Battery Baton	SOLO760
Solo 365 Battery Pack	SOLO370	Charger	SOLO726
Solo 365 Smoke Generator	SOLO371		
Solo 365 Cup & Membrane	SPARE1058	TRUTEST	
Solo 365 Membrane	SPARE1059	Trutest Pole Clamp	TRUT730

SPARE1060



SDi, LLC

2 3535 Route 66, Bldg. 6, Neptune, NJ 07753 Email: sales@sdifire.com

Web: www.sdifire.com

& Tel: (732) 751-9266

Connect with us







